

**LAMINATE FLOORING
BPIR DECLARATION**Designated Building Product: **Class 1****Version 2.0 July 2025****Declaration**

Belgotex New Zealand Ltd (Belgotex NZ) has provided this declaration to satisfy the provisions of the [Building \(Building Product Information Requirements\) Regulations 2022](#).

Company Details

Name	Belgotex New Zealand Limited
Role	Supplier
NZBN	9429038353000
Address	25 Leslie Hills Drive, Riccarton, Christchurch 8011
Website	www.belgotex.co.nz
Email	info@belgotex.co.nz
Phone	0800-377-753

Description of Building Product

Belgotex NZ supplies a range of [Laminate Flooring products](#) manufactured by Financiera Maderera SA (FINSA) under the Finfloor and Purefloor brands.

Finfloor and Purefloor Laminate Flooring products are direct pressure laminates composed of a high-density fibreboard (HDF) core overlaid with a decorative layer made from printed paper impregnated with melamine resin, topped with a melamine-impregnated cellulose protective wear layer. The backing layer consists of melamine-impregnated recycled paper.

Finfloor and Purefloor Laminate Flooring have a watertight click joint system and are installed as a floating floor covering.

When installed, Finfloor and Purefloor Laminate Flooring may contribute to G6 (Airborne and impact sound) or H1 (Energy efficiency) requirements. Compliance with these requirements needs to be established as part of the proposed flooring system.

Finfloor and Purefloor Laminate flooring are supplied in plank format and sold by the square metre.

Building Code Obligations

When installed in accordance with FINSA installation requirements, Finfloor and Purefloor Laminate Flooring may contribute to compliance with the applicable performance criteria under the following Building Code clauses.

Building Code Clause	Contribution to Compliance
B2 (Durability) B2.3.1(c)	Durability under heavy duty residential and commercial use has been established through evaluation to EN 13329. FINSA Laminate Flooring have been supplied and installed in buildings globally for over 20 years, demonstrating a good track record of in-service performance.

**LAMINATE FLOORING
BPIR DECLARATION**

<p>C3 (Fire affecting areas beyond the fire source) C3.4(b)</p>	<p>Finfloor Laminate Flooring achieves a B_{fl}-s1 classification when assessed to EN 13501-1. A B_{fl}-s1 classification is achieved if the Critical Radiant Flux (CRF) is $\geq 8.0 \text{ kW/m}^2$ when tested to ISO 9239-1. Purefloor Laminate Flooring achieves a C_{fl}-s1 classification when assessed to EN 13501-1. A C_{fl}-s1 classification is achieved if the CRF is $\geq 4.5 \text{ kW/m}^2$ when tested to ISO 9239-1. Finfloor and Purefloor Laminate flooring can be used in all building areas and all risk groups.</p>
<p>D1 (Access routes) D1.3.3 (d)</p>	<p>Finfloor and Purefloor Laminate Flooring have acceptable slip resistance—as per D1/AS1 Table 2—when used in level access routes expected to remain dry under normal use. Slip Resistance Values (SRV) above 39 have been established for Finfloor XL and Finfloor 12. Finfloor XL and Finfloor 12 are acceptable for use in level access routes expected to become wet with water in normal use.</p>
<p>E3 (Internal moisture) E3.3.3 E3.3.5 E3.3.6</p>	<p>Finfloor and Purefloor Laminate Flooring meet the requirement for impervious and easily cleaned floor surfaces in watersplash areas such as bathrooms, toilets, laundries, and kitchens. Imperviousness of Finfloor and Purefloor Laminate Flooring surface and junction has been demonstrated through moisture resistance testing to ISO 4760:2022 when installed floating.</p>
<p>F2 (Hazardous building materials) F2.3.1</p>	<p>Low emission of volatile organic compounds (VOC) has been established through testing to Émissions Dans L'Air Intérieur A+ standard.</p>

Scope of use and Limitations

Scope	Limitation
<p>For building areas with up to heavy commercial level of use</p>	<ul style="list-style-type: none"> • Finfloor and Purefloor Laminate Flooring are for interior use only. • Subfloors must be stable and able to structurally support the flooring. • Concrete substrate must have a relative humidity of 75% or below. • Finfloor and Purefloor Laminate Flooring are designed to be floating and not directly stuck to the subfloor, except on stairs where the flooring should be directly stuck. • Underlay with integrated vapour barrier or underlay laid on separate moisture barrier is required on all subfloors. • Flooring must be laid in accordance with Finfloor and Purefloor Installation Instructions.
<p>For use in wet areas (bathrooms, toilets, laundries, kitchens)</p>	<ul style="list-style-type: none"> • Finfloor and Purefloor Laminate Flooring are suitable for use within 1.5 metres of a sanitary fixture or appliance. • When installed in wet areas, Finfloor and Purefloor Laminate Flooring must be edge sealed as detailed in Finfloor and Purefloor Installation Instructions.
<p>For use in access routes</p>	<ul style="list-style-type: none"> • Finfloor and Purefloor Laminate Flooring are suitable for use in access routes.

**LAMINATE FLOORING
BPIR DECLARATION**

In connection with underfloor heating including in-slab piped water heating.

- Finfloor and Purefloor Laminate Flooring are suitable for use with underfloor heating not exceeding 27°C.

Conditions of use

Finfloor and Purefloor Laminate Flooring must be installed according to the Finfloor or Purefloor Installation Instructions and maintained according to the Finfloor or Purefloor Care & Maintenance guidelines available at www.belgotex.co.nz.

Additional Information

For all specification, installation, maintenance and warranty information, and all information supporting Belgotex NZ claims, refer to www.belgotex.co.nz.

Responsible Person

In accordance with Regulation 8, as the responsible person I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore, to the best of my knowledge, correct.

I can also confirm Finfloor and Purefloor Laminate Flooring, as referred to in this statement, are not subject to a warning or ban issued under [Section 26 of the Building Act](#).

Signed for and on behalf of Belgotex New Zealand Limited

Jeremy Parish

Managing Director

15/07/2025